

### **SUPPLEMENTAL EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Biddle on 12/09/2009.

*The application has been amended as follows:*

#### **In the Specification:**

##### **Page 7**

Lines 12 – 14 - DELETE these lines beginning with the words "*FIG.4D*" and ending with the words "*space*)."

##### **Page 22**

Line 33 – CHANGE "4D" to - - **4C** - -.

##### **Page 23**

Line 8 - INSERT - - **and** - - after "4B,"  
Lines 8-9 – DELETE "and FIG. 4D"  
Line 10 – CHANGE "4D" to - - **4B** - -

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TU T. NGUYEN whose telephone number is (571)272-2424. The examiner can normally be reached on T-F 7:30-5:30.

Art Unit: 2886

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tarifur Chowdhury can be reached on (571) 272-2800 Ext. 86. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Tu T. Nguyen/  
Primary Examiner, Art Unit 2886

12/16/2009